

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(must adj1 print\$5 with IPDS	USPAT	OR	ON	2005/08/04 17:51
		base\$2 with print\$5 adj2	USPAT	OR	ON	2005/08/04 17:47
		channel\$5)				
		(label adj1 printer\$5 with (laser	USPAT	OR	ON	2005/08/04 17:44
		thermal)				
		(spool\$5 adj2 type\$5 near4	US-PGPUB;	OR	ON	2005/08/04 16:20
		(setting\$5 parameter\$5 attribut\$5)	USPAT;			
L1	2		EPO; JPO;			
			DERWENT;			
			IBM_TDB			
		(select\$5 choos\$5 determin\$5)	US-PGPUB;	OR	ON	2005/08/04 16:17
		with spool\$5 adj2 (setting\$5	USPAT;			
		attribut\$5 parameter\$5))	EPO; JPO;			
			DERWENT;			
L2	7		IBM_TDB			
		(adj2 port\$5) adj1 attribut\$5	US-PGPUB;	OR	ON	2005/08/04 14:59
			USPAT;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB			
		(print\$5 adj2 channel\$5) adj2	US-PGPUB;	OR	ON	2005/08/04 10:41
L3	9	(attribut	USPAT;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB			
		jp-11110163-\$.did.	US-PGPUB;	OR	ON	2005/08/05 10:23
			USPAT;			
			EPO; JPO;			
L4	16116		DERWENT;			
			IBM_TDB			
		((("6006284") or ("5978560") or	USPAT	OR	OFF	2005/08/05 10:26
		("5898823") or ("5873659") or				
		("5791790") or ("5787237") or				
		("5566278")).PN.				
		((("5602974") or ("5638497") or	USPAT	OR	OFF	2005/08/05 10:29
		("5740028") or ("5781711") or				
		("5859956") or ("5946458") or				
		("5995720") or ("5996029") or				
		("6020973")).PN.				
		(358/1.15, 358/1.1, 358/1.9-1.	US-PGPUB;	OR	ON	2005/08/05 10:30
		14).ccls.	USPAT;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB			

S1	2	("6552813").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:41
S2	3	(print\$5 adj2 channel\$5) adj2 (attribute\$2 parameter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:29
S3	2	("20020021454").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:43
S4	0	(print\$5 adj2 channel\$5) adj1 (attribut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:29
S5	1	(print\$5 adj2 channel\$5) with (attribut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:30
S6	16	(spool\$5 adj2 attribut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:32
S7	222	(must adj2 spool\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:32
S8	39	(must adj1 spool\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:33
S9	4	(must adj1 spool\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:36
S10	2	("20020080389").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:35

S11	48	(must adj1 spool\$5 may adj1 spool\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:37
S12	46	S11 not S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:39
S13	0	S11 and @ad<"2000417"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:39
S14	16	S11 and @ad<"20000417"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:25
S15	0	(print\$5 adj1 (channel\$5 protocol\$5)) adj1 attribut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:44
S16	0	(pcm adj1 request\$5) adj2 attribut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:44
S17	9	(pcm adj1 request\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:46
S18	6	web adj1 pull with spool\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:51
S19	734068	(web adj1 pull web adj1 push IPP ftp port\$2 LPD Netbios\$2 Appletalk\$2 netwar\$2 netware coax twinax parallel\$2 despooler\$5 internatl print) with (may adj1 spool\$5 must print\$5 must adj1 spool)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:53

S20	572	(web adj1 pull web adj1 push IPP ftp port\$2 LPD Netbios\$2 Appletalk\$2 netwar\$2 netware coax twinax parallel\$2 despooler\$5 internatl print) with (may adj1 spool\$5 must print\$5 must adj1 spool) adj1 attribut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:54
S21	0	(web adj1 pull web adj1 push IPP ftp port\$2 LPD Netbios\$2 Appletalk\$2 netwar\$2 netware coax twinax parallel\$2 despooler\$5 internatl print) with (may adj1 spool\$5 must adj1 print\$5 must adj1 spool) adj1 attribut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:53
S22	910	(web adj1 pull web adj1 push IPP ftp port\$2 LPD Netbios\$2 Appletalk\$2 netwar\$2 netware coax twinax parallel\$2 despooler\$5 internatl print) with (may adj1 spool\$5 must adj1 print\$5 must adj1 spool)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:54
S23	911	(web adj1 pull web adj1 push IPP ftp port\$2 LPD Netbios\$2 Appletalk\$2 netwar\$2 netware coax twinax parallel\$2 despooler\$5 internatl print) with (may adj1 spool\$5 must adj1 print\$5 must adj1 spool\$5 spool\$5 adj1 all spool\$5 near4 busy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:55
S24	886	(web adj1 pull web adj1 push IPP ftp port\$2 LPD Netbios\$2 Appletalk\$2 netwar\$2 netware coax twinax parallel\$2 despooler\$5 internatl print) with (may adj1 spool\$5 must adj1 print\$5 must adj1 spool\$5 spool\$5 adj1 all spool\$5 near4 busy) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:56
S25	406	S24 and @ad<"20000417"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:55
S26	6	(web adj1 pull web adj1 push IPP ftp port\$2 LPD Netbios\$2 Appletalk\$2 netwar\$2 netware coax twinax parallel\$2 despooler\$5 internal adj1 print) with (may adj1 spool\$5 must adj1 print\$5 must adj1 spool\$5 spool\$5 adj1 all spool\$5 near4 busy) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:57

S27	28	(web adj1 pull web adj1 push IPP ftp port\$2 LPD Netbios\$2 Appletalk\$2 netwar\$2 netware coax twinax despooler\$5) with (may adj1 spool\$5 must adj1 print\$5 must adj1 spool\$5 spool\$5 adj1 all spool\$5 near4 busy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:58
S28	2	(communicat\$5 adj2 port\$5) adj2 attribut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:59
S29	931	(port\$5) adj1 attribut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:59
S30	2	(communicat\$5 adj1 port\$5) adj1 attribut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:00
S31	21	(port\$5) adj1 attribut\$5 with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:42
S32	2	("20040046973").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 15:32
S33	2	jp-07311662-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:41
S34	27	(port\$5) adj1 attribut\$5 same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:42
S35	2946578	"31" not S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:44
S36	6	S34 not S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:44

S37	15	(print\$5 adj1 port\$5) near4 (attribut\$5 may adj1 spool\$5 must\$1 adj1 spool\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:02
S38	694	(parallel\$5 serial\$5 adj1 port\$2) near4 (attribut\$5 may adj1 spool\$5 must\$1 adj1 spool\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:16
S39	0	(select\$5 adj2 spool\$5 adj2 (setting\$5 attribut\$5 parameter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:17
S40	28	((select\$5 choos\$5 determin\$5) with spool\$5 adj2 (setting\$5 attribut\$5 parameter\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:19
S41	11	(spool\$5 adj2 type\$5 near4 (setting\$5 parameter\$5 attribut\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:22
S42	4048	(spool\$5 adj2 type\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:22
S43	37	(spool\$5 adj2 type\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:22
S44	35	S43 not S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:25
S45	28	(spool\$5 adj2 (setting\$5 parameter\$5 attribut\$5)) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:25
S46	9	S45 and @ad<"20000417"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:42

S47	0	(type\$5 near4 print\$5 adj2 port\$5 with print\$5 adj2 job\$5 adj2 attribut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:45
S48	2	("6476930").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 16:49
S49	16	(type\$5 adj2 print\$5 adj2 channel\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:51
S50	2	("5651114").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 16:51
S51	15	("5651114").URPN.	USPAT	OR	ON	2005/08/04 17:09
S52	0	(process\$5 adj2 print\$5 adj2 job\$5 with print\$5 adj2 channel\$5)	USPAT	OR	ON	2005/08/04 17:41
S53	0	(process\$5 with print\$5 adj2 job\$5 with print\$5 adj2 channel\$5)	USPAT	OR	ON	2005/08/04 17:41
S54	4	(process\$5 same print\$5 adj2 job\$5 same print\$5 adj2 channel\$5)	USPAT	OR	ON	2005/08/04 17:47
S55	229	(label adj1 printer\$5 with (laser thermal))	USPAT	OR	ON	2005/08/04 17:45
S56	5	(label adj1 printer\$5 with (laser near4 thermal))	USPAT	OR	ON	2005/08/04 17:45
S57	27	base\$2 with print\$5 adj2 channel\$5	USPAT	OR	ON	2005/08/04 17:48
S58	39	type\$5 near4 print\$5 adj2 channel\$5	USPAT	OR	ON	2005/08/04 17:51
S59	0	(must adj1 print\$5 with IPDS)	USPAT	OR	ON	2005/08/04 17:51
S60	1	(must adj1 print\$5 with port\$2)	USPAT	OR	ON	2005/08/04 17:51
S61	24	(may adj1 spool\$5 with port\$2)	USPAT	OR	ON	2005/08/04 17:52